

DECLARATION OF PERFORMANCE : (EU) No 305/2011 Corrugated Polycarbonate Sheet

All Ranges <1.3mm

CE-PCCS-000001-01

1. Marlon CS <1.3mm

PCCS-000001 - unique identification code of the product type

2. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specific foreseen by the manufacturer:

Light transmitting extruded single skin profiled plastics sheets for internal and external roofs, wall and ceilings.

3. Name, registered trade name or registered trade mark and contact address of manufacturer as required pursuant to Regulation (EU) No. 305/2011

Brett Martin Plastic Sheets,

24 Roughfort Road, Newtownabbey, Co. Antrim, BT36 4RB, United Kingdom.

4. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2), Regulation (EU) No. 305/2011:

Not relevant.

5. Number of the applicable system of assessment and verification of constancy of performance of the product as set out in Regulation (EU) No. 305/2011:

System 3.

6. In the case of a declaration of performance concerning a construction product covered by a harmonised standard:

Number of harmonised standard :

EN1013:2012 + A1:2014

Name and identification number of the notified body :

0071 - Laboratoire National D'Essais

doplookup.com

ation, as

o Article 11(5):

pecified in Article

: out in Annex V:

doplookup.com

All Ranges < 1.3mm
CE-PCCS-000001-01

7. Declared performance:

CE 0071		
Brett Martin Plastic Sheets 24 Roughfort Road, Newtownabbey, Co Antrim, BT36 4RB, United Kingdom. 14		
EN1013:2012 + A1:2014		
Light-transmitting single skin profiled PC sheets for: - Discontinuously laid roof coverings for buildngs - Internal and external wall and ceiling finishes		
Essential characteristics	Performance	Harmonised Technical Specification
External fire performance	F _{roof} (NPD)	EN1013
Reaction to fire	B-s1, d0	
Water vapour permeability	3,8 x 10 ⁻⁵ mg/m·h·Pa	
Water / air permeability	Pass	
Release of dangerous substances	NPD	
Dimensional tolerances	Pass	
Shatter properties (safe breakability) as:		
- Small hard body	Pass	
- Large soft body (assembly)	NPD	
Resistance to fixings	Principles of fixing are available on the Brett Martin website	

8. The performance of the products identified in points 1 and 2 is in conformity with the declared performance in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by :

Name: Stephen Keys
Function: Technical Services Manager
Place of Issue: Brett Martin Plastic Sheets
 24 Roughfort Road, Newtownabbey, Co. Antrim, BT36 4RB, United Kingdom.
Date of Issue: 07 October 2025
Signature:



doplookup.com