

Hammer drill bit Quattric II S / Quattric II

The expert for the best performance in reinforced concrete.



Drilling in concrete wall



Drilling in floor plate

Applications

To create approval-compliant drill holes in:

- Reinforced concrete
- Concrete
- Solid brick
- Sand-lime brick

Also suitable for:

- Natural stone

Advantages

- Robust solid carbide head (up to \varnothing 20 mm) for a long service life.
- Massive main cutting edges in combination with the improved break-up performance of the Power Shoulders enable fast drilling progress.
- Integrated reinforcement chamfers prevent jamming in reinforcement.
- Special spiral geometry combines quick drilling progress and increased service life.
- Centering tip for a simple and accurate spot drilling, prevents running on smooth surfaces.
- Wear mark for easy recognition of the wear limit according to PGM.

Certificates / Features




Functioning

- Four-cutter hammer drill bit with SDS Plus shank enables higher durability in reinforced concrete.

Technical data

Hammer drill bit Quattric II S / Quattric II							
Quattric II S / Quattric II							
Item	Item no.	Drill diameter d_0 [mm]	Working length [mm]	Total length l [mm]	Packaging	Contents [pcs.]	Sales unit [pcs]
Quattric II 5/50/115 S	549973	5	50	115	Plastic clip	1	1
Quattric II 5/100/165 S	549974	5	100	165	Plastic clip	1	1
Quattric II 5/150/215 S	544214	5	150	215	Plastic clip	1	1
Quattric II 5.5/50/115 S	549971	5.5	50	115	Plastic clip	1	1
Quattric II 5.5/100/165 S	549972	5.5	100	165	Plastic clip	1	1
Quattric II 6/50/115 S	549983	6	50	115	Plastic clip	1	1
Quattric II 6/100/165 S	549979	6	100	165	Plastic clip	1	1
Quattric II 6/150/215 S	549981	6	150	215	Plastic clip	1	1
Quattric II 6/200/265 S	549985	6	200	265	Plastic clip	1	1
Quattric II 6/250/315 S	549986	6	250	315	Plastic clip	1	1

Technical data

Hammer drill bit Quattric II S / Quattric II							
							
Quattric II S / Quattric II							
Item	Item no.	Drill diameter d ₀ [mm]	Working length [mm]	Total length l [mm]	Packaging	Contents [pcs.]	Sales unit [pcs]
Quattric II 6.5/100/165 S	549975	6.5	100	165	Plastic clip	1	1
Quattric II 6.5/150/215 S	549976	6.5	150	215	Plastic clip	1	1
Quattric II 6.5/200/265 S	549977	6.5	200	265	Plastic clip	1	1
Quattric II 6.5/250/315 S	549978	6.5	250	315	Plastic clip	1	1
Quattric II 7/100/165 S	549987	7	100	165	Plastic clip	1	1
Quattric II 8/50/115 S	549993	8	50	115	Plastic clip	1	1
Quattric II 8/100/165 S	549988	8	100	165	Plastic clip	1	1
Quattric II 8/150/215 S	549990	8	150	215	Plastic clip	1	1
Quattric II 8/200/265 S	549994	8	200	265	Plastic clip	1	1
Quattric II 8/250/315 S	549992	8	250	315	Plastic clip	1	1
Quattric II 8/300/365 S	549995	8	300	365	Plastic clip	1	1
Quattric II 8/400/465 S	549996	8	400	465	Plastic clip	1	1
Quattric II 10/50/115 S	549928	10	50	115	Plastic clip	1	1
Quattric II 10/100/165 S	549922	10	100	165	Plastic clip	1	1
Quattric II 10/150/215 S	549925	10	150	215	Plastic clip	1	1
Quattric II 10/200/265 S	549929	10	200	265	Plastic clip	1	1
Quattric II 10/250/315 S	549927	10	250	315	Plastic clip	1	1
Quattric II 10/300/365 S	544224	10	300	365	Plastic clip	1	1
Quattric II 10/390/455 S	549930	10	390	455	Plastic clip	1	1
Quattric II 10/540/600 S	544222	10	540	600	Plastic clip	1	1
Quattric II 12/110/165 S	549932	12	110	165	Plastic clip	1	1
Quattric II 12/160/215 S	549936	12	160	215	Plastic clip	1	1
Quattric II 12/210/265 S	549934	12	210	265	Plastic clip	1	1
Quattric II 12/260/315 S	549939	12	260	315	Plastic clip	1	1
Quattric II 12/400/455 S	549935	12	400	455	Plastic clip	1	1
Quattric II 12/550/600 S	544213	12	550	600	Plastic clip	1	1
Quattric II 12/950/1000 S	549931	12	950	1,000	Plastic clip	1	1
Quattric II 14/110/165 S	549941	14	110	165	Plastic clip	1	1
Quattric II 14/160/215 S	549944	14	160	215	Plastic clip	1	1
Quattric II 14/210/265 S	549942	14	210	265	Plastic clip	1	1
Quattric II 14/260/315 S	549945	14	260	315	Plastic clip	1	1
Quattric II 14/400/455 S	549943	14	400	455	Plastic clip	1	1
Quattric II 14/550/600 S	544223	14	550	600	Plastic clip	1	1
Quattric II 14/950/1000 S	549940	14	950	1,000	Plastic clip	1	1
Quattric II 15/110/165 S	549946	15	110	165	Plastic clip	1	1
Quattric II 15/160/215 S	549947	15	160	215	Plastic clip	1	1
Quattric II 15/210/265 S	544215	15	210	265	Plastic clip	1	1
Quattric II 16/110/165 S	549950	16	110	165	Plastic clip	1	1
Quattric II 16/160/215 S	549951	16	160	215	Plastic clip	1	1
Quattric II 16/210/265 S	549952	16	210	265	Plastic clip	1	1
Quattric II 16/260/315 S	549953	16	260	315	Plastic clip	1	1
Quattric II 16/400/455 S	549954	16	400	455	Plastic clip	1	1
Quattric II 16/550/600 S	549955	16	550	600	Plastic clip	1	1
Quattric II 16/950/1000 S	549948	16	950	1,000	Plastic clip	1	1
Quattric II 18/200/250 S	549956	18	200	250	Plastic tube	1	1
Quattric II 18/400/450 S	549957	18	400	450	Plastic tube	1	1
Quattric II 20/200/250 S	549958	20	200	250	Plastic tube	1	1
Quattric II 20/400/450 S	549959	20	400	450	Plastic tube	1	1
Quattric II 22/200/250	549960	22	200	250	Plastic tube	1	1
Quattric II 22/400/450	549961	22	400	450	Plastic tube	1	1
Quattric II 24/200/250	549962	24	200	250	Plastic tube	1	1
Quattric II 24/400/450	549963	24	400	450	Plastic tube	1	1
Quattric II 25/200/250	549964	25	200	250	Plastic tube	1	1
Quattric II 25/400/450	549965	25	400	450	Plastic tube	1	1
Quattric II 28/200/250	549966	28	200	250	Plastic tube	1	1
Quattric II 28/400/450	549967	28	400	450	Plastic tube	1	1

Technical data

Hammer drill bit Quattric II S / Quattric II



Quattric II S / Quattric II

Item	Item no.	Drill diameter d_0 [mm]	Working length [mm]	Total length l [mm]	Packaging	Contents [pcs.]	Sales unit [pcs]
Quattric II 30/200/250	549968	30	200	250	Plastic tube	1	1
Quattric II 30/400/450	549969	30	400	450	Plastic tube	1	1
Quattric II 32/400/450	549970	32	400	450	Plastic tube	1	1
Quattric II 6/50/115 S XP5	549984	6	50	115	X-Pack	5	1
Quattric II 6/100/165 S XP5	544225	6	100	165	X-Pack	5	1
Quattric II 6/150/215 S XP5	549982	6	150	215	X-Pack	5	1
Quattric II 6/200/265 S XP5	552131	6	200	265	X-Pack	5	1
Quattric II 6.5/100/165 S XP5	544217	6.5	100	165	Plastic tube	5	1
Quattric II 8/100/165 S XP5	549989	8	100	165	X-Pack	5	1
Quattric II 8/150/21 S XP5	549991	8	150	215	X-Pack	5	1
Quattric II 8/200/265 S XP5	552132	8	200	265	X-Pack	5	1
Quattric II 10/100/165 S XP5	549924	10	100	165	X-Pack	5	1
Quattric II 10/150/215 S XP5	549926	10	150	215	X-Pack	5	1
Quattric II 10/200/265 S XP5	552133	10	200	265	X-Pack	5	1
Quattric II 12/110/165 S XP5	549933	12	110	165	X-Pack	5	1
Quattric II 12/160/215 S XP5	549937	12	160	215	X-Pack	5	1
Quattric II 12/210/265 S XP5	549938	12	210	265	X-Pack	5	1
Quattric II 14/110/165 S XP5	544220	14	110	165	X-Pack	5	1
Quattric II 14/160/215 S XP5	544221	14	160	215	X-Pack	5	1
Quattric II 6/100/165 S XP10	549980	6	100	165	X-Pack	10	1
Quattric II 6/150/215 S XP10	544185	6	150	215	X-Pack	10	1
Quattric II 8/100/165 S XP10	544216	8	100	165	X-Pack	10	1
Quattric II 8/150/215 S XP10	544186	8	150	215	X-Pack	10	1
Quattric II 10/100/165 S XP10	549923	10	100	165	X-Pack	10	1
Quattric II 10/150/215 S XP10	544187	10	150	215	X-Pack	10	1
Quattric II 12/110/165 S XP10	552129	12	110	165	X-Pack	10	1
Quattric II 12/160/215 S XP10	544188	12	160	215	X-Pack	10	1
Quattric II 12/210/265 S XP10	552130	12	210	265	X-Pack	10	1
Quattric II 14/160/215 S XP10	544189	14	160	215	Plastic tube	10	1

Technical data

Hammer drill bit Quattric II S / Quattric II



Quattric II S Set

Item	Item no.	Packaging	Contents	Sales unit [pcs]
Quattric II S Set 5-12 mm (7)	553210	Assortment box	7 pcs: 5/50/115, 6/50/115, 6/100/165, 8/50/115, 8/100/165, 10/100/165, 12/110/165	1